

**Form - IV**  
(See rule 13)  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. MANVENDRA SHARMA
	(ii) Name of HCF or CBMWTF	:	JAI HOSPITAL & RESEARCH CENTRE
	(iii) Address for Correspondence	:	396, Nehru Nagar, Byepass Road, Agra
	(iv) Address of Facility	:	(Same as above)
	(v) Tel. No. Fax. No	:	0562- 4043000
	(vi) E-mail ID	:	sharmamanvendra@yahoo.co.in
	(vii) URL of Website	:	www.lifelinepublicschool.com-associatedestablishment
	(viii) GPS coordinates of HCF or CBMWTF	:	Lat. 27.2093, Long. 78.0031
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 17328054 dated 11/08/2022 .....valid up to 31.03.2025
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31.03.2023 161024 / UPPCA/Aggra dated 11/08/2022
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:.....25
	(ii) Non-bedded hospital	:	—
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	RMBE 2112528 Validity 30.04.2024
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	—
	(ii) No of beds covered by CBMWTF	:	—
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	— Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	— Kg/day		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow Category : 650 kg		
		Red Category : 595 kg		
		White: 3 kg		
		Blue Category : 550 kg		
		General Solid waste: 7205 kg		
5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
(i) Details of the on-site storage facility :	Size :	100 Sq. feet		
	Capacity :			
	Provision of on-site storage :	(cold storage or any other provision)		
(ii) Details of the treatment or disposal facilities :	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators	0		
	Plasma Pyrolysis	0		
	Autoclaves	1		
	Microwave	0		
	Hydroclave	0		
	Shredder	0		
	Needle tip cutter or destroyer	3		
	Sharps encapsulation or concrete pit	0		
	Deep burial pits:	0		
	Chemical disinfection:	0		
	Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)			NA
(iv) No of vehicles used for collection and transportation of biomedical waste				NA
(v) Details of incineration ash and ETP sludge generated and disposed	Quantity generated		Where disposed	

	during the treatment of wastes in Kg per annum	Incineration Ash - NA. ETP Sludge - 1000 kg.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	JRR WASTE MANAGEMENT (P) Ltd CBWTF : Khasra No. 670, Mauza Dharota, Etamadpur, Agra-203202
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	NA
7	Details trainings conducted on BMW	YES
	(i) Number of trainings conducted on BMW Management.	1
	(ii) number of personnel trained	6
	(iii) number of personnel trained at the time of induction	0
	(iv) number of personnel not undergone any training so far	-
	(v) whether standard manual for training is available?	YES
	(vi) any other information)	-
8	Details of the accident occurred during the year	1
	(i) Number of Accidents occurred	NIL
	(ii) Number of the persons affected	None
	(iii) Remedial Action taken (Please attach details if any)	NA.
	(iv) Any Fatality occurred, details.	None
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA.
	Details of Continuous online emission monitoring systems installed	NA.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	ETP installed STP Nagar Nigam
11	Is the disinfection method or sterilization meeting the log 4	-

	standards? How many times you have not met the standards in a year?		N.A.
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) N.A.

Certified that the above report is for the period from

.....  
 1<sup>st</sup> January 2023 to 31<sup>st</sup> Dec. 2023.  
 .....  
 .....

Name and Signature of the Head of the Institution

Date: 4.2.2024  
 Place: Agra

*Signature*

Jai Hospital & Research Centre  
 Bye Pass Road, AGRA-282002